

INTERIOR | EXTERIOR



LEBEN™

3D WALL PANELS

3D WALL PANELS

Water Proof
Termite Proof
Unbreakable
Easy to Fix (DIY)
Paintable
light Weight
Washable
Economical



Now make every wall, a feature wall with LEBEN 3D Wall Panels. Enhance your living space with our inexpensive yet luxurious panels which are completely water proof, light weight, paintable and absolutely easy to install. Welcome to the newest wave in interior and exterior design both in residential and commercial applications. A new dimension in wall art.




3D Panels




Diamond 01#



Wave 02#



Brick 03#



Mosaic 04#




Crystal 05#



Petal 06#



Polka 07#



Floral 08#



Blocks 09#



Arc 10#



Curl 11#




Stroke 12#

Panel Size 500x500mm | 2.7 Sqf Per Panel

Qty Per Box - 50 Pcs | 135 SQF | 17 Kg Per Box

3D Panels



Diamond

3D Panels



Wave





3D Panels




Bricks

3D Panels

Mosaic



3D Panels




Crystal



3D Panels

Petal



3D Panels





Polka



3D Panels

Floral



3D Panels



Blocks



3D Panels

Arc



3D Panels



Curl



3D Panels




Stroke




3D Panels

INSTALLATION GUIDE



STEP 1

Measure the Wall and mark the middle point horizontally and vertically. Make sure the wall is smooth, clean, dry and even. Primer the wall using a water based primer for better adhesion incase the surface is weathering.




STEP 2

Draw lines on the wall starting from the middle point, heading outwards in the form of a grid with spacing between each line equal to the size of one panel i.e 50cm. Use a water level to make sure the lines are perfectly horizontal & vertical.




STEP 3

Apply glue on the back of the panels evenly on the parts that will come in contact with the wall. For best results use a good quality industrial glue such as a general purpose silicon sealent.




STEP 4

Stick the panel on the wall starting from the middle. Make sure the panel is aligned to the grid lines for a seamless finish. Gently press the panel for even bonding. Clean the excess glue from the edges using a clean cloth.



STEP 5

Continue fixing the remaining panels in the same manner. Nudge and adjust the panels to achieve a jointless finish.




STEP 6

Use heavy duty scissor or knife to cut the panels to suit the wall ends. You may also use a paper cutter to make cut outs for switch boards and other fixtures.



STEP 7

Incase you wish to paint the panels, use a plastic compound to fill the hair line gaps. Use a sandpaper to scrub off excess compound and make the joints smooth. Spray paint the panels with your desired color. Use a paint sealer after painting to enhance the life of paint.



STEP 8

Clean the panels using a cloth and your feature wall is all ready to showcase. LEBEN 3D Wall Panels are completely waterproof, so you can easily clean with water or use a wet cloth.



LEBEN™
Flooring | Panels | Deck | Cladding | Grass

Authorized Dealer :